



Osnovne informacije

Grupa proizvoda	PrismaSeT
Grupa proizvoda	PrismaSeT G PrismaSeT P
Tip proizvoda ili komponente	Prednja ploča
Pribor / posebna kategorija	Instalacioni pribor
Kompatibilnost grupe proizvoda	PrismaSeT (PrismaSeT G) orman PrismaSeT (PrismaSeT P) kućište PrismaSeT (PrismaSeT Pack 160) orman PrismaSeT (PrismaSeT Pack 250) orman
Tip prednje ploče	Otvor Modularna
Instalirani uređaji	TeSys: fiksno GV2L TeSys: fiksno GV2LE TeSys: fiksno GV2ME TeSys: fiksno GV2P TeSys: fiksno GV2RTn Vigilohm: IM20 Vigilohm: IM20H Vigilohm: fiksno IM9 Vigilohm: IM9 Vigilohm: fiksno IM9-OL Vigilohm: IM9-OL Acti 9: merni uređaj Multi 9: merni uređaj Acti 9: fiksno modularni uređaj <= 40 A Multi 9: fiksno modularni uređaj <= 40 A Vigirex: RH10 Vigirex: RH197M Vigirex: RH21 Vigirex: RH99
Opis polova	9 x 3P: modularna šina nosač: GV2L 9 x 3P: modularna šina nosač: GV2LE 9 x 3P: modularna šina nosač: GV2ME 9 x 3P: modularna šina nosač: GV2P 9 x 3P: modularna šina nosač: GV2RTn

Dopunske informacije

Opis kućišta/ormana	Slobodnostojeći orman - širina 600 mm Nadzidni orman - širina 600 mm Kućište - širina 650 mm dubina 400 mm Pack orman - širina 555 mm Pack orman - širina 600 mm
9 mm redovi	48
Broj 18 mm modula po redu	24
Broj vertikalnih modula (50 mm)	3
Standardi	IEC 61439-1 IEC 61439-2
Sertifikacija proizvoda	ASTA
Materijal	Čelik
Završna obrada	Mat Teksturom
Tretman zaštite	Elektroforeza i vruće polimerizovan poliesterški epoksi prah
Boja	Bela (RAL 9003)

Visina	150 mm
Širina	500 mm
Masa proizvoda	0,54 kg
Količina po setu	Set od 1
Functional unit	<p>600 mm PrismaSeT G slobodnostojeći orman TeSys GV2L fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman TeSys GV2L fiksno 3P 9 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište TeSys GV2L fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman TeSys GV2LE fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman TeSys GV2LE fiksno 3P 9 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište TeSys GV2LE fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman TeSys GV2ME fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman TeSys GV2ME fiksno 3P 9 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište TeSys GV2ME fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman TeSys GV2P fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman TeSys GV2P fiksno 3P 9 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište TeSys GV2P fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman TeSys GV2RTn fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman TeSys GV2RTn fiksno 3P 9 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište TeSys GV2RTn fiksno 3P 9 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman Vigilohm 4 3</p> <p>600 mm PrismaSeT G nadzidni orman Vigilohm 4 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman Vigilohm fiksno 6 3</p> <p>600 mm PrismaSeT G nadzidni orman Vigilohm fiksno 6 3</p> <p>650 mm 400 mm PrismaSeT P kućište Vigilohm 6 3</p> <p>650 mm 400 mm PrismaSeT P kućište Acti 9 merni uređaj 3</p> <p>650 mm 400 mm PrismaSeT P kućište Multi 9 merni uređaj 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman Acti 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman Acti 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište Acti 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman Multi 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman Multi 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište Multi 9 modularni uređaj <= 40 A fiksno 48 direktno 3</p> <p>600 mm PrismaSeT G slobodnostojeći orman Vigirex 8 direktno 3</p> <p>600 mm PrismaSeT G nadzidni orman Vigirex 8 direktno 3</p> <p>650 mm 400 mm PrismaSeT P kućište Vigirex 8 3</p> <p>650 mm 400 mm PrismaSeT P kućište Vigirex 6 3</p> <p>555 mm Pack 160 Pack orman TeSys GV2L fiksno 3P 9 direktno 3</p> <p>555 mm Pack 160 Pack orman TeSys GV2LE fiksno 3P 9 direktno 3</p> <p>555 mm Pack 160 Pack orman TeSys GV2ME fiksno 3P 9 direktno 3</p> <p>555 mm Pack 160 Pack orman TeSys GV2P fiksno 3P 9 direktno 3</p> <p>555 mm Pack 160 Pack orman TeSys GV2RTn fiksno 3P 9 direktno 3</p> <p>555 mm Pack 160 Pack orman Vigilohm 4 3</p> <p>555 mm Pack 160 Pack orman Vigilohm fiksno 6 3</p> <p>600 mm Prisma Pack 250 Pack orman Acti 9 modularni uređaj <= 40 A fiksno 48 direktno 6</p> <p>600 mm Prisma Pack 250 Pack orman Multi 9 modularni uređaj <= 40 A fiksno 48 direktno 6</p> <p>555 mm Pack 160 Pack orman Vigirex 8 direktno 3</p>

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3,0 cm
Package 1 Width	16,0 cm
Package 1 Length	51,0 cm
Package 1 Weight	539,0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16,5 cm
Package 2 Width	17,8 cm
Package 2 Length	52,5 cm
Package 2 Weight	5,575 kg

Unit Type of Package 3	P12
Number of Units in Package 3	180
Package 3 Height	45,0 cm
Package 3 Width	80,0 cm
Package 3 Length	120,0 cm
Package 3 Weight	114,22 kg

Održivost ponude

Status održive ponude	Green Premium proizvod
Propis REACh	REACh Deklaracija
REACh bez SVHC	Da
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS) EU RoHS deklaracija
Bez toksičnih teških metala	Da
Bez žive	Da
Informacije o RoHS izuzecima	Da
RoHS regulativa za Kinu	RoHS Deklaracija Za Kinu
Izjava o zaštiti okoliša	Profil Ekološke Prihvatljivosti Proizvoda
Bez PVC	Da
Učinak u vezi sa sadržajem halogena	Proizvod sa plastičnim delovima bez halogena